



Yuasa Scheda Tecnica

Yuasa YBX1100 - Batterie YBX1000 CaCa

Prestazione

Tensione	12V
Capacità (20 ore)	65Ah
Corrente di spunto A (EN1)	540A

Dimensioni

Lunghezza	278mm
Profondità	175mm
Altezza	175mm

Pesi e Misure

Peso medio con acido	15.8kg
Volume dell'acido	3.8 Litri



Caratteristiche del Monoblocco

Tipo di monoblocco	LB3 DIN
Fissaggi alla base	B13
Indicatore dello stato di carica	✓
Maniglie	✓
Circuito di sfiato	✓
Tipo di coperchio	Valvola di fiato centrale

Tecnologia

Pastiglia antideflagrante	✓
Tecnologia	Ca/Ca
Separatore	PE
Corrente di carica raccomandata	4A
Performance Marking	W3-C2-V2-E1


Tipologia dei terminali

Schema di Collegamento

Fissaggio batteria


T1

Standard DIN Post




Positive Terminal

Negative Terminal



B3/B4 (B3 with Hold-Down adaptor)



Scheda tecnica prodotta su E&OE



Yuasa Technical Data Sheet

Yuasa YBX1100 - YBX1000 CaCa Batteries

Performance

Voltage	12V
Capacity (20-hour)	65Ah
Cold Cranking Amps (EN1)	540A

Dimensions

Length	278mm
Width	175mm
Height	175mm

Weights & Measures

Mean Weight with Acid	15.8kg
Acid Volume	3.8 litres



Container Features

Case Type	LB3 DIN
Hold Down	B13
State of Charge Indicator	✓
Handles	✓
End Venting	✓
Lid Type	Central Venting


Technology

Flame Arrestor	✓
Technology	Ca/Ca
Separator	PE
Recommended Charge Rate	4A
Performance Marking	W3-C2-V2-E1

Terminal Type

T1


Standard DIN Post



Positive Terminal


Negative Terminal

Cell Assembly Layout



Battery Hold-down

B3/B4 (B3 with Hold-Down adaptor)



Data Sheet generated on 07/09/2021 - E&OE