



Yuasa Scheda Tecnica

Yuasa YBX1633 - Super Heavy Duty Battery

Prestazione

Tensione	12V
Capacità (20 ore)	140Ah
Corrente di spunto A (EN1)	900A

Dimensioni

Lunghezza	360mm
Profondità	253mm
Altezza	240mm

Pesi e Misure

Peso medio con acido	40.8kg
----------------------	--------



Caratteristiche del Monoblocco

Tipo di monoblocco	Volvo
Schema polarità	6
Fissaggi alla base	B1
Maniglie	✓
Tipo di coperchio	Tappi a vista

Tecnologia

Tecnologia	Sb/Ca
Corrente di carica raccomandata	7A
Performance Marking	W2-C2-V2-E1


Tipologia dei terminali

Schema di Collegamento

Fissaggio batteria


T1

Standard DIN Post




Positive Terminal

Negative Terminal



6

B1



Scheda tecnica prodotta su E&OE



Yuasa Technical Data Sheet

Yuasa YBX1633 - Super Heavy Duty Battery

Performance

Voltage	12V
Capacity (20-hour)	140Ah
Cold Cranking Amps (EN1)	900A

Dimensions

Length	360mm
Width	253mm
Height	240mm

Weights & Measures

Mean Weight with Acid	40.8kg
-----------------------	--------

Container Features

Case Type	Volvo
Cell Layout	6
Hold Down	B1
Handles	✓
Lid Type	Raised Plug

Technology


Technology	Sb/Ca
Recommended Charge Rate	7A
Performance Marking	W2-C2-V2-E1



Terminal Type

T1


Standard DIN Post



Positive Terminal


Negative Terminal

Cell Assembly Layout



Battery Hold-down

B1



Data Sheet generated on 07/09/2021 - E&OE