



## Yuasa Scheda Tecnica

### Yuasa YBX9019 - Batterie YBX9000 AGM Start Stop Plus

#### Prestazione

Tensione	12V
Capacità (20 ore)	95Ah
Corrente di spunto A (EN1)	850A

#### Dimensioni

Lunghezza	353mm
Profondità	175mm
Altezza	190mm

#### Pesi e Misure

Peso medio con acido	25.6kg
----------------------	--------



#### Caratteristiche del Monoblocco

Tipo di monoblocco	L5 DIN AGM
Tipologia dei terminali	T1
Fissaggi alla base	B3
Maniglie	✓
Circuito di sfiato	✓
Applicazioni da semi trazione	✓
Tipo di coperchio	VRLA

#### Tecnologia

Pastiglia antideflagrante	✓
Tecnologia	Ca/Ca VRLA
Separatore	AGM
Test antiribaltamento VDA	✓
Corrente di carica raccomandata	5A
Performance Marking	W5-C2-V3-M3



#### Tipologia dei terminali

#### Schema di Collegamento

#### Fissaggio batteria

##### T1

Standard DIN Post



Scheda tecnica prodotta su E&OE



## Yuasa Technical Data Sheet

### Yuasa YBX9019 - YBX9000 AGM Start Stop Plus Batteries

#### Performance

Voltage	12V
Capacity (20-hour)	95Ah
Cold Cranking Amps (EN1)	850A

#### Dimensions

Length	353mm
Width	175mm
Height	190mm

#### Weights & Measures

Mean Weight with Acid	25.6kg
-----------------------	--------



#### Container Features

Case Type	L5 DIN AGM
Terminal Type	T1
Hold Down	B3
Handles	✓
End Venting	✓
Semi-Traction Features	✓
Lid Type	VRLA


#### Technology

Flame Arrestor	✓
Technology	Ca/Ca VRLA
Separator	AGM
VDA Roll Over Test	✓
Recommended Charge Rate	5A
Performance Marking	W5-C2-V3-M3

#### Terminal Type

##### T1


Standard DIN Post




Positive Terminal

Negative Terminal

#### Cell Assembly Layout



#### Battery Hold-down



Data Sheet generated on 07/09/2021 - E&OE